MOISTURE RESISTANT WEATHER RESISTANT

ACTIVE INGREDIENT: Bromethalin (CAS No. 63333-35-7) 0.01% OTHER INGREDIENTS 99 99%

This Product May Only be Used Inside and Within 50 Feet of Buildings or Inside of Transport Vehicles (Ships, Trains, or Aircraft)

KEEP OUT OF THE REACH OF CHILDREN

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 67517-66-56 **ΕΡΔ EST. NO. 56-OH-1**









MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

All-Weather RODENTICIDE

Effective Indoor and Outdoor Rodent Control

KILLS NORWAY RATS. ROOF RATS & HOUSE MICE

Norway Rats, Roof Rats and House Mice usually consume a toxic dose in a single night's feeding but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action, rodents cease feeding after consuming a toxic dose. This product is effective against anticoagulant-resistant house mice and rats.

NET CONTENTS: 128 X 0.5 oz. BLOCKS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children domestic animals, and pets. Do not get in eyes, on skin, or on clothing, All handlers (including applicators) must w long-sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product muse

wear gloves.

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and ho water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID

HAVE LABEL WHEN OBTAINING TREATMENT ADVICE

0 "	1 000 045	1705 in di-t-b. for the star and a di-i	

- Call a poison control center, doctor, or 1-800-345-4735 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.

Do not give anything by mouth to an unconscious person.

- Take off contaminated clothing
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

IF SWALLOWED

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-345-4735 at once

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison Bromethalin. This is not an anticoagulant type rodenticide. For humans or animals ingesting ba and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals). limit absorbtion be either emesis or gastric layage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treat accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Bunoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides

To help prevent accidents:

- Store product not in use in a location out of reach of children and pets
- 2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant ba stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock raccoops bears or other potentially destructive animals or in areas prope to vandalism
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

NOTE: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children

pets, non-target mammals, or birds may access the bait. USE SITES: This product may only be used to control Norway Rats. Roof Rats, and House Mice in sewers and for use inside and outside within 50 feet of homes, industrial and agricultural buildings, related port or terminal buildings, and simil

man-made structures. This product may alos be used in sewers and within 50 feet of surrounding buildings in allevs and inside transport vehicles (ships trains aircraft). For use in non-food/non-feed areas

USE RESTRICTIONS: Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs. food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. D not broadcast bait. Do not apply further than 50 feet from buildings. This product may only be applied by licensed pest control operators (PCOs). Do not sell this product in individual containers holding less than 4 pounds of bait,

SELECTION OF TREATMENT AREAS: Determine areas where rats and house mice will most likely find and consume the bait Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rats and house mice or their signs have been seen. Remove as much alternative food accessible to rodents as possible.

DIRECTIONS FOR USE (CONTINUED)

APPLICATION DIRECTIONS: The active ingredient in this product is different from anticoagulant rodenticides Individual rats and mice cease feeding after consuming a toxic dose. For use in sewers thread wire through block and securely attach to a stationary structure such as the bottom step of a manhole ladder or a sewer grate. Allow just enough wire for the block to rest on manhole benching. If benching is not present suspend block a few inches above the high water mark or secure block on a board supported by opposing steps of the ladder. Securing block in this manner will help reduce removal by rats or water. Use one block ner manhole. Maintain an uninterrunted supply of fresh bait for at least 10 days or until signs of rat activity cease.

RATS: Wearing gloves, apply 2 to 12 baits per placement in infested areas. Space placements at intervals of 20 to 30 feet.

HOUSE MICE: Wearing gloves, apply 1 or 2 baits per placement in infested areas. Space placements at intervals of 8 to 12 feet.

FOLLOW-UP: Adjust the amount of bait applied to the level of rat and mouse feeding expected at each bait placement location.

Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replants but or a stress where there is heavy feeding or where there is continued evidence of rat and mouse activity. Maintain bait for at least one week and continue baiting until all signs of rat and mouse activity have ceased or it becomes clear that the remaining rats and mice are not attracted to the hait

Wearing gloves, collect and properly dispose of all dead rats and mice and leftover bait. To discourage reinfestation, limit sources of rat and mouse food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill; or incineration. In most states, burning is not allowed.

NOTICE OF WARRANTY

Buyer assumes all responsibility for safety and use not in accordance with directions.

Mfg by: J.T. EATON & CO., INC., 1393 East Highland Road, Twinsburg, OH 44087 • U.S.A. • ©2011

JT EATON® and BAIT BLOCK® are registered trademarks and TOP GUN™ is a trademark of the J.T. Eaton & Co., Inc., Twinsburg, OH 44087 • U.S.A. • BITREX® is a registered trademark of Macfarlan Smith, Scotland

12.16.2010/06.01.2011